

Chapter 11

Literature Cited

- Alaska Department of Fish and Game. 2002. Alaska aquatic nuisance species management plan. Juneau.
- Anderson, D. R. 2001. The need to get the basics right in wildlife field studies. *Wildlife Society Bulletin* **29**:1294-1297.
- Appelberg, M. 2000. Swedish standard methods for sampling freshwater fish with multi-mesh gillnets. Fiskeriverket Information 2000:1, Goteborg, Sweden. Online. (http://www.fiskeriverket.se/publikationer/avslutade_serier/proviskebeskr.pdf). Accessed 19 July 2005.
- Arcese, P., and A. R. E. Sinclair. 1997. The role of protected areas as ecological baselines. *Journal of Wildlife Management* **61**:587-620.
- Banci, V. 1994. Wolverine. Pages 99-127 in L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, L. J. Lyon, and W. J. Zielinski, technical editors. The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-246, Fort Collins, CO. Online. (http://www.fs.fed.us/rm/pubs_rm/rm_gtr254.html). Accessed 26 July 2005.
- Barrett, G. W., G. M. Van Dyne, and E. P. Odum. 1976. Stress ecology. *BioScience* **26**:192-194.
- Beamish, R. J., J. T. Schnute, A. J. Cass, C. M. Neville, and R. M. Sweeting. 2004. The influence of climate on the stock and recruitment of pink and sockeye salmon from the Fraser River, British Columbia, Canada. *Transactions of the American Fisheries Society* **133**:1396-1412.
- Becker, E. F., M. A. Spindler, and T. O. Osborne. 1998. A population estimator based on network sampling of tracks in the snow. *Journal of Wildlife Management* **62**:968-977.
- Ben-David, M. 1997. Timing of reproduction in wild mink: The influence of spawning Pacific salmon. *Canadian Journal of Zoology* **75**:376-382.
- Ben-David, M., T. A. Hanley, and D. M. Schell. 1998. Fertilization of terrestrial vegetation by spawning Pacific salmon: The role of flooding and predator activity. *Oikos* **83**:47-55.
- Berger, A. R., and W. J. Iams. 1996. Geoindicators: Assessing rapid environmental changes in earth systems. Balkema, Rotterdam.
- Bricker, O. P., and M. A. Ruggiero. 1998. Toward a national program for monitoring environmental resources. *Ecological Applications* **8**:326-329.
- Brooks P. D., M. W. Williams, and S. K. Schmidt. 1998. Inorganic nitrogen and microbial biomass dynamics before and during spring snowmelt. *Biogeochemistry* **43**:1-15.
- Buckland, S. T., D. R. Anderson, K. P. Burnham, J. L. Laake, D. L. Borchers, and L. Thomas. 2001. Introduction to distance sampling: Estimating abundance of biological populations. Oxford University Press, Oxford, UK.

- Burbank, D. C. 1977. Circulation studies in Kachemak Bay and Lower Cook Inlet. *in* L. L. Trasky, L. B. Flagg, and D. C. Burbank, editors. Environmental studies of Kachemak Bay and Lower Cook Inlet. Alaska Department of Fish and Game. Anchorage.
- Burnham, K. P., and D. R. Anderson. 2002. Model selection and multimodel inference: A practical information-theoretic approach, 2nd ed. Springer-Verlag, New York.
- Cain, S. A. 1959. Ecological islands as natural laboratories. Sixth Biennial Wilderness Conference, San Francisco, National Park Service Archives. Harpers Ferry, Box N16, Management Biology 1948-1962. March 1959.
- Cam, E., J. D. Nichols, J. R. Sauer, J. E. Hines, and C. H. Flather. 2000. Relative species richness and community completeness: Birds and urbanization in the mid-Atlantic states. *Ecological Applications* **10**:1196-1210.
- Capps, S. R. 1937. Kodiak and adjacent lands, Alaska. Bulletin 800-C, U.S. Geological Survey.
- Clark, J. S. 2005. Why environmental scientists are becoming Bayesians. *Ecology Letters* **8**:2-14.
- Cochran, W. G. 1977. Sampling techniques, 3rd ed. Wiley, NY.
- Croze, H. 1982. Monitoring within and outside protected areas. Pages 628-633 *in* J. A. McNeely and K. R. Miller, editors. National parks, conservation, and development: The role of protected areas in sustaining society. Proceedings of the World Congress on National Parks, Bali, Indonesia. Smithsonian Institution Press, Washington, D.C.
- Dale, V., H. S. Brown, R. A. Haeuber, N. T. Hobbs, N. Huntly, R. J. Naiman, W. E. Riebsame, M. G. Turner, and T. J. Valone. 2000. Ecological principles and guidelines for managing the use of land. *Ecological Applications* **10**:639-670.
- Dale, V. H., and S. C. Beyeler. 2001. Challenges in the development and use of ecological indicators. *Ecological Indicators* **1**:3-10.
- Davis, G. E., and W. L. Halvorson. 1988. Inventory and monitoring of natural resources in Channel Islands National Park, California. USDOI. National Park Service, Channel Islands National Park, Ventura, CA.
- Davis, G. E. 1989. Design of a long-term ecological monitoring program for Channel Islands National Park, California. *Natural Areas Journal* **9**:80-89.
- Davis, G. E. 2005. National park stewardship and ‘vital signs’ monitoring: A case study from Channel Islands National Park, California. *Aquatic Conservation Marine Freshwater Ecosystems* **15**:71-89.
- Densmore, R. V., P. C. McKee, and C. Roland. 2001. Exotic plants in Alaskan National Park Units. USGS-Alaska Science Center, Anchorage.
- Drake, J. A., H. A. Mooney, F. di Castri, R. H. Groves, F. J. Kruger, M. Rejmanek, and M. Williamson, editors. 1989. Biological invasions: A global perspective. Wiley, Chichester, UK.
- Ellingson, A. R., and P. L. Lukacs. 2003. Improving methods for regional landbird monitoring: A reply to Hutto and Young. *Wildlife Society Bulletin* **31**:896-902.

- Elzinga, C. L., D. W. Salzer, and J. W. Willoughby. 1998. Measuring and monitoring plant populations. BLM Technical Reference 1730-1. BLM/RS/ST-98/005+1730.
- Elzinga, C. L., D. W. Salzer, J. W. Willoughby, and J. P. Gibbs. 2001. Monitoring plant and animal populations. Blackwell Science, Malden, MA.
- Ewald, G. P. Larsson, H. Linge, L. Okla, and N. Szarzi. 1998. Biotransport of organic pollutants to an inland Alaska lake by migrating sockeye salmon (*Oncorhynchus nerka*). Arctic **51**:40-47.
- Forbes, B. C., J. J. Ebersole, and S. Beate. 2001. Anthropogenic disturbance and patch dynamics in circumpolar Arctic ecosystems. Conservation Biology **15**:954-969.
- Ford, L. B. 1986. Attach dynamics of the spruce bark beetle (*Dendroctonus rufipennis* Kirby) in south-central Alaska. Dissertation. University of Washington, Seattle.
- Forman, R. T. T. 1995. Land mosaics: The ecology of landscapes and regions. Cambridge University Press, Cambridge, UK.
- Gende, S. M., R. T. Edwards, M. F. Willson, and M. S. Wipfli. 2002. Pacific salmon in aquatic and terrestrial ecosystems. BioScience **52**:917-928.
- Gerrodette, T. 1987. A power analysis for detecting trends. Ecology **68**:1364-1372.
- Gerrodette, T. 1993. TRENDS: Software for a power analysis of linear regression. Wildlife Society Bulletin **21**:515-516.
- Groffman P. M., C. T. Driscoll, T. J. Fahey, J. P. Hardy, R. D. Fitzhugh, and G. L. Tierney. 2001. Effects of mild winter freezing on soil nitrogen and carbon dynamics in a northern hardwood forest. Biogeochemistry **56**:191-213.
- Haines, D. E., and K. H. Pollock. 1998. Estimating the number of active and successful bald eagle nests: An application of the dual frame method. Environmental and Ecological Statistics **5**:245-256.
- Halvorsen, C. H. 1984. Long-term monitoring of small vertebrates: A review with suggestions. Pages 11-25 in J. Johnson, J. Franklin, and R. Krebill, coordinators. Research natural areas: Baseline monitoring and management. USDA Forest Service, Intermountain Forest and Range Experiment Station, General Technical Report. INT 173, Ogden, UT.
- Hamilton, T. D., K. M. Reed, and R. M. Thorson. 1986. Glaciation in Alaska – Introduction and overview. Pages 1-8 in T. D. Hamilton, K. M. Reed, and R. M. Thorson, editors. Glaciation in Alaska: The geologic record. Alaska Geological Society, Anchorage.
- Hannah, L., G. F. Midgley, and D. Millar. 2002. Climate change-integrated conservation strategies. Global Ecology and Biogeography **11**:485-495.
- Hansen, A. J. 1987. Regulation of bald eagle reproductive rates in southeast Alaska. Ecology **68**:1387-1392.
- Hart, S. C., D. Binkley, and D. A. Perry. 1997. Influence of red alder on soil nitrogen transformations in two conifer forests of contrasting productivity. Soil Biology and Biochemistry **29**:1111-1123.
- Helfield, J. M., and R. J. Naiman. 2002. Salmon and alder as nitrogen sources to riparian forests in a boreal Alaskan watershed. Oecologia **133**:573-582.

- Heusser, C. J. 1983. Pollen diagrams from the Shumagin Islands and adjacent Alaska Peninsula, southwestern Alaska. *Boreas* **12**:279-295.
- Hilderbrand, G. V., T. A. Hanley, and C. C. Schwartz. 1999a. Role of brown bears (*Ursus arctos*) in the flow of marine nitrogen into a terrestrial ecosystem. *Oecologia* **121**:546-550.
- Hilderbrand, G. V., S. G. Jenkins, C. C. Schwartz, T. A. Hanley, and C. T. Robbins. 1999b. Effect of seasonal differences in dietary meat intake on changes in body mass and composition in wild and captive brown bears. *Canadian Journal of Zoology* **77**:1623-1630.
- Hood, D., and S. T. Zimmerman. 1986. The gulf of Alaska physical environment and biological resources. OCS Study 86-0095, USDOC, NOAA, NOS, and USDOI, MMS. Anchorage.
- Johnson, W. C., and S. P. Bratton. 1978. Biological monitoring in UNESCO biosphere reserves with special reference to the Great Smoky Mountains National Park. *Biological Conservation* **13**:105-115.
- Jones, K. B. 1986. The inventory and monitoring process. Pages 1-9 in A. Y. Cooperrider, R. J. Boyd, and H. R. Stewart, editors. *Inventory and monitoring of wildlife habitat*. USDOI Bureau of Land Management, Service Center, Denver.
- Karr, J. R., and D. R. Dudley. 1981. Ecological perspective on water quality goals. *Environmental Management* **5**:55-68.
- Kremen, C., A. M. Merenlender, and D. D. Murphy. 1994. Ecological monitoring: A vital need for integrated conservation and development programs in the tropics. *Conservation Biology* **8**:388-397.
- Krummel, E. M., R. W. Macdonald, L. E. Kimpe, I. Gregory-Eaves, M. J. Demers, J. P. Smol, B. Finney, and J. M. Blais. 2003. Delivery of pollutants by spawning salmon. *Nature* **425**:255-256.
- Lee, D. C. 2000. Assessing land-use impacts on bull trout using Bayesian belief networks. Pages 127-147 in S. Ferson and M. A. Burgman, editors. *Quantitative methods for conservation biology*. Springer, New York.
- Lee, D. C., and G. A. Bradshaw. 1998. Making monitoring work for managers. Online. (http://www.icbemp.gov/spatial/lee_monitor/begin.html). Accessed 8 August 2005.
- Lees, D. C., J. P. Houghton, D. E. Erikson, W. B. Driskell, and D. E. Boettcher. 1980. Ecological studies of intertidal and shallow subtidal habitats in lower Cook Inlet, Alaska. Final Report for NOAA by Dames and Moore.
- Likens, G. E. 1992. The ecosystem approach: Its use and abuse. Excellence in ecology, book 3. Ecology Institute, Oldendorf/Luhe, Germany.
- Link, W. A., E. Cam, J. D. Nichols, and E. G. Cooch. 2002. Of BUGS and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research. *Journal of Wildlife Management* **66**:277-291.
- Lohr, S. L. 1999. *Sampling: Design and analysis*. Duxbury Press, Pacific Grove, CA.
- Mack, R. N., D. Simberloff, W. M. Lonsdale, H. Evans, M. Clout, and F. A. Bazzaz. 2000. Biotic invasions: Causes, epidemiology, global consequences, and control. *Ecological Applications* **10**:689-710.

MacKenzie, D. I., J. D. Nichols, J. E. Hines, M. G. Knutson, and A. B. Franklin. 2003. Estimating site occupancy, colonization, and local extinction when a species is detected imperfectly. *Ecology* **84**:2200-2207.

Magnuson, J. J. 1990. Long-term ecological research and the invisible present. *BioScience* **40**:495-501.

Mantua, N. J., S. R. Hare, Y. Zhang, J. M. Wallace, and R. C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* **78**:1069-1079.

Marcot, B. G., R. S. Holthausen, M. G. Raphael, M. M. Rowland, and M. J. Wisdom. 2001. Using Bayesian belief networks to evaluate fish and wildlife population viability under land management alternatives from an environmental impact statement. *Forest Ecology and Management* **153**:29-42.

Marsh, H., and D. F. Sinclair. 1989. Correcting for bias in strip transect aerial surveys of aquatic fauna. *Journal of Wildlife Management* **53**:1017-1024.

McDonald, T. L. 2003. Review of environmental monitoring methods: Survey designs. *Environmental Monitoring and Assessment* **85**:277-292.

Meehan, R., V. Byrd, G. Divoky, and J. Piatt. 1998. Implications of climate change for Alaska's seabirds. U.S. Fish and Wildlife Service Report, Homer, Alaska.

Miller, M. E., D. Sharow, and L. Cudlip. 2003. Northern Colorado Plateau Vital Signs Network and prototype cluster plan for natural resource monitoring. Phase II Report. National Park Service.

Moore, C. T., and W. L. Kendall. 2004. Costs of population measurement uncertainty in index-based monitoring. *Animal Biodiversity and Conservation* **27(1)**:287-296.

Mortenson, D. 2006. Data management plan Southwest Alaska Network Inventory and Monitoring Program. National Park Service.

Naiman, R. J., and K. H. Rogers. 1997. Large animals and system-level characteristics in river corridors. *BioScience* **47**:521-529.

National Park Service, 1980. State of the parks. May 1980-A report to the Congress. Office of Science and Technology, National Park Service. Washington, D.C.

National Park Service. 2001. NPS Director's Order 19: Records Management. Online. (<http://www.nps.gov/refdesk/DOrders/DOrder19.html>). Accessed 18 October 2005.

National Park Service. 2003. NPS Records Disposal Schedule. Appendix B, Revised 5-03. Online. (<http://data2.itc.nps.gov/wapc/records/nps19app-b.pdf>). Accessed 18 October 2005.

National Research Council. 1992. Executive summary. Pages 9-13 in Science and the national parks. Committee on Improving the Science and Technology Programs of the National Park Service, National Academy Press, Washington, D.C.

Nelson, R. E. 2004. Final report on postglacial pollen and inferred vegetation changes at Cabin Bluff, Aniakchak Bay, Aniakchak National Monument and Preserve, Southwest Alaska. USDOI, National Park Service, Anchorage.

- Nichols, J. D., T. Boulinier, J. E. Hines, K. H. Pollock, and J. R. Sauer. 1998. Estimating rates of local species extinction, colonization, and turnover in animal communities. *Ecological Applications* **8**:1213-1225.
- Noon, B. R. 2003. Conceptual issues in monitoring ecological systems. Pages 27-72 in D. E. Busch and J. C. Trexler, editors. *Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives*. Island Press, Washington, D.C.
- Oakley, K. L., L. P. Thomas, and S. G. Fancy. 2003. Guidelines for long-term monitoring protocols. *Wildlife Society Bulletin* **31**:1000-1003.
- O'Connell, M. F. 2003. Uncertainty about estimating total returns of Atlantic salmon, *Salmo salar*, to the Gander River, Newfoundland, Canada, evaluated using a fish counting fence. *Fisheries Management and Ecology* **10**:23-29.
- Overton, W. S., and S. V. Stehman. 1996. Desirable design characteristics for long-term monitoring of ecological variables. *Environmental and Ecological Statistics* **3**:349-361.
- Paine, R. T. 1995. A conversation on refining the concept of keystone species. *Conservation Biology* **9**:962-964.
- Peek, J. M. 1999. A proposal to establish a monitoring program for the University of Idaho Taylor Ranch facility and the adjacent Frank Church River-of-No-Return Wilderness. University of Idaho, Moscow.
- Polissar, V., P. K. Hopke, P. Paatero, W. C. Malm, and J. F. Sisler. 1998. Atmospheric aerosol over Alaska. 2. Elemental composition and sources. *Journal of Geographic Research* **103**:19045-19057.
- Pollock, K. H. 1982. A capture-recapture design robust to unequal probability of capture. *Journal of Wildlife Management* **46**:757-760.
- Pollock, K. H. 2000. Capture-recapture models. *Journal of the American Statistical Association* **95**:293-296.
- Pollock, K. H., H. Marsh, L. L. Bailey, G. L. Farnsworth, T. R. Simons, and M. W. Alldredge. 2004. Separating components of detection probability in abundance estimation: An overview with diverse examples. Pages 43-58 in W. L. Thompson, editor. *Sampling rare or elusive species: Concepts, designs, and techniques for estimating population parameters*. Island Press, Washington, D.C.
- Power, M. E., D. Tilman, J. A. Estes, B. A. Menge, W. J. Bond, L. S. Mills, G. Daily, J. C. Castilla, J. Lubchenco, and R. T. Paine. 1996. Challenges in the quest for keystones. *Bioscience* **46**:609-620.
- Quinn, J. F., and C. Van Riper III. 1990. Design considerations for national park inventory databases. Pages 5-14 in C. Van Riper III et al. editors. *Examples of resource inventory and monitoring in national parks of California*. Proceedings of the Third Biennial Conference on Research in California's National Parks, University of California, Davis.
- Redmond, K. T., D. B. Simeral, and G. D. McCurdy. 2005. Climate monitoring for Southwest Alaska national parks: Network design and site selection. USDOI National Park Service, Anchorage.
- Rieman, B., J. T. Peterson, J. Clayton, P. Howell, R. Thurow, W. Thompson, and D. C. Lee. 2001. Evaluation of potential effects of federal land management alternatives on trends of salmonids and their habitats in the interior Columbia River basin. *Forest Ecology and Management* **153**:43-62.

- Rozell, N. 2002. Moose as ecosystem engineers. Geophysical Institute Article No. 1584, University of Alaska, Fairbanks.
- Sambrotto, R. N., and C. J. Lorenzen. 1986. Phytoplankton and primary productivity. Pages 249-282 in D. W. Hood and S. T. Zimmerman, editors. The Gulf of Alaska physical environment and biological resources. Vol. OCS Study 86-0095 USDOC, NOAA, NOS, and USDOI, MMS, Alaska OCS Region, Anchorage.
- Sanderson, J. G., and L. D. Harris. 2003. The rest of the story—Linking top-down effects to organisms. Pages 55-72 in J. A. Bissonette and I. Storch, editors. Landscape ecology and resource management. Island Press, Washington, D.C.
- SAS Institute, Inc. 2004. SAS/STAT 9.1 user's guide. SAS Institute, Inc., Cary, NC.
- Scheaffer, R. L., W. Mendenhall, and L. Ott. 1990. Elementary survey sampling, 4th ed. PWS-Kent, Boston.
- Schindler, D. E., M. D. Scheuerell, J. W. Moore, S. M. Gende, T. B. Francis, and W. J. Palen. 2003. Pacific salmon and the ecology of coastal ecosystems. *Frontiers in Ecology and the Environment* **1**(1):31-37.
- Sickman, J. O., A. Leydecker, C. C. Y. Chang, C. Kendall, J. M. Melack, D. M. Lucero, and J. Schimel. 2003. Mechanisms underlying export of N from high-elevation catchments during seasonal transitions. *Biogeochemistry* **64**:1-24.
- Simpson, J. J., G. L. Hufford, M. D. Fleming, J. S. Berg, and J. B. Aston. 2002. Long-term climate patterns in Alaskan surface temperature and precipitation and their biological consequences. *IEEE Trans. Geoscience and Remote Sensing* **40**:1164-1184.
- Simpson, J. J., G. L. Hufford, V. Daly, J. S. Berg, and M. D. Fleming. 2005. Comparing maps of mean monthly surface temperature and precipitation for Alaska and adjacent areas of Canada produced by two different methods. *Arctic* **58**:137-161.
- Skalski, J. R. 1994. Estimating wildlife populations based on incomplete area surveys. *Wildlife Society Bulletin* **22**:192-203.
- Stevens, D. L., Jr., and A. R. Olsen. 2004. Spatially balanced sampling of natural resources. *Journal of the American Statistical Association* **99**:262-278.
- Stevens, D. L., Jr., and N. S. Urquhart. 2000. Response designs and support regions in sampling continuous domains. *Environmetrics* **11**:13-41.
- Suffling, R., and D. Scott. 2002. Assessment of climate change effects on Canada's National Park System. *Environmental Monitoring and Assessment* **74**:117-139.
- Tardiff, S., and J. A. Stanford. 1998. Grizzly bear digging: Effects on subalpine meadow plants in relation to mineral nitrogen availability. *Ecology* **79**:2219-2228.
- Thompson, W. L. 2002. Towards reliable bird surveys: Accounting for individuals present but not detected. *Auk* **119**:18-25.
- Thompson, W. L., G. C. White, and C. Gowan. 1998. Monitoring vertebrate populations. Academic Press, San Diego.

- Turner, M. G. 1989. Landscape ecology: The effect of pattern on process. *Annual Review of Ecology and Systematics* **20**:171-197.
- Urquhart, N. S., S. G. Paulsen, and D. P. Larsen. 1998. Monitoring for policy-relevant regional trends over time. *Ecological Applications* **8**:246-247.
- Ver Hoef, J. M. 1996. Parametric empirical Bayes methods for ecological applications. *Ecological Applications* **6**:1047-1055.
- Ver Hoef, J. M., and K. J. Frost. 2003. A Bayesian hierarchical model for monitoring harbor seal changes in Prince William Sound, Alaska. *Environmental and Ecological Statistics* **10**:201-219.
- Vitousek, P. M., H. A. Mooney, J. Lubchenco, and J. M. Melillo. 1997. Human domination of earth's ecosystems. *Science* **277**:494-499.
- Walter, H. 1963. Climatic diagrams as a means to comprehend the various climatic types for ecological and agricultural purposes. Pages 3-9 in A. J. Rutter and F. H. Whitehead, editors. *The water relations of plants. A symposium of the British Ecological Society*, London. Blackwell Scientific Publications, London.
- White, P. S., and S. P. Bratton. 1980. After preservation: Philosophical and practical problems of change. *Biological Conservation* **18**:241-255.
- White, P. S., and S. T. A. Pickett. 1985. Natural disturbance and patch dynamics: An introduction. Chapter 1. (http://www.env.duke.edu/lel/env214/le_agnt3.html). Accessed 8 August 2005.
- Wiersma, G. B. 1984. Integrated global background monitoring network. Research and monitoring in circumpolar biosphere reserves. Waterton Biosphere Reserve, Waterton Lakes, Alberta, Canada.
- Williams, B. K., J. D. Nichols, and M. J. Conroy. 2002. *Analysis and management of animal populations*. Academic Press, San Diego.
- Willson, M. F., S. M. Gende, and B. H. Marston. 1998. Fishes and the forest: Expanding perspectives on fish-wildlife interactions. *BioScience* **48**:455-462.